

FMF Slim Unhooded Twin Wheel Castors

- High quality nylon wheel in black (B) or gray (Y)
- Colors: silver coated (SV) or silver gray color (SY) on hub cap and beam
- Elegant style and high quality



FMF50YSV-2SV-PT42
(brake)



FMF60YSV-1SV-PT42



FMF75BSV-1SV-PT502



FMF100BSV-2SV-PT63
(brake)

Item No.	Type	Dia.	W	H	Static Loading Capacity
FMF50-1 FMF50-2	non-brake brake	Ø50mm	41mm	63mm	50 kgs / per castor
FMF60-1 FMF60-2	non-brake brake	Ø60mm	45mm	73mm	60 kgs / per castor
FMF75-1 FMF75-2	non-brake brake	Ø75mm	47mm	86mm	80 kgs / per castor
FMF100-1 FMF100-2	non-brake brake	Ø100mm	52mm	116mm	80 kgs / per castor

- Various top fixing stems are available

CMF Unhooded Twin Wheel Castors

- Flat design, all nylon, silver gray (SY), black (BB) or white (WT) beam, silver coated (SV), polished chrome (PC) or satin nickel (SN) wheel
- With dual silver gray (SY), black (B) or white (W) PU rings



CMF75BB-2PCB-PT502
(black brake / beam & PC wheel)




CMF60SY-1SVSY-PT42
(silver gray beam & silver coated wheel)



CMF100WT-1TCW-PT502
(white beam & transparent clear wheel)



CMF100BB-1TCB
(black beam & transparent clear wheel)

Item No.	Type	Dia.	W	H	Static Loading Capacity
					
CMF60-1 CMF60-2	non-brake brake	Ø60mm	40mm	95mm	45 kgs / per castor
CMF75-1 CMF75-2	non-brake brake	Ø75mm	40mm	110mm	60 kgs / per castor
CMF100-1 CMF100-2	non-brake brake	Ø100mm	42mm	136mm	75 kgs / per castor

- Various top fixing stems are available


FMF & CMF Series Top Fixing Stems

- Size of wheels: Ø50, 60, 75 and 100mm

a) Top Plate Stem


Item No.	Size (WxL / C.C.)	Application
PT42	42x42 / 32x32mm	for Ø50, 60mm wheels
PT502	50x50 / 38x38mm	for Ø75mm wheel only
PT63	42x63 / 31.7x52.7mm	for Ø100mm wheel only

b) Threaded Bolt Stem





Item No.	Size
T83	M8x15mm
T14	M10x25mm

c) Friction Ring Stem



Item No.	Size
F22	Ø11x22mm




FMF Series Comparison Chart:

Item No.	Dimensions (D / H)			
	Diameter	Top plate	Threaded bolt	Friction ring
FMF50 (all nylon)	Ø50mm	73mm	69mm	68mm
FMF60 (all nylon) FMF601 (PU tread)	Ø60mm	83mm	78mm	77.3mm
FMF75 (all nylon) FMF751 (PU tread)	Ø75mm	98mm	93mm	92mm
FMF100 (all nylon)	Ø100mm	129mm	124mm	123mm

CMF Series Comparison Chart:

Item No.	Dimensions (D / H)			
	Diameter	Top plate	Threaded bolt	Friction ring
CMF60	Ø60mm	86mm	81mm	80mm
CMF75	Ø75mm	102mm	97mm	96mm
CMF100	Ø100mm	130mm	125mm	124mm



Castor Necks

- Three different colors: black (BK), gray (YY) and silver coated (SV)



60CN38BK



75CN42SV



75CN60YY

Item No.	Diameter	Application
60CN38	Ø38mm	fits FMF60, CMF60 castor
75CN42	Ø42mm	fits FMF75, CMF75 castor
75CN60	Ø60mm	fits FMF75, CMF75 castor

Hub Caps

- Decorative slices to be pressed onto both sides of wheels
- Available in three sizes with different colors of finishes



HC50BB



HC50BN



HC60BC



HC60SY



HC60SV

For Ø50mm wheel

Item No.	Colors
HC50-SV	silver coated
HC50-SY	silver gray
HC50-BB	black
HC50-FWB	fiber webbing coated
HC50-BN	natural beech coated
HC50-BC	cherry coated

For Ø60mm wheel

Item No.	Colors
HC60-SV	silver coated
HC60-SY	silver gray
HC60-BB	black
HC60-FWB	fiber webbing coated
HC60-BN	natural beech coated
HC60-BC	cherry coated



FMF751BB42SV-1SV-F22



CMF60BB38BB-1PCB-F22



FMF50BB-1BC-T83



HC75WT



HC75FWB



HC75BC

For Ø75mm wheel

Item No.	Colors
HC75-SV	silver coated
HC75-SY	silver gray
HC75-BB	black
HC75-FWB	fiber webbing coated
HC75-BN	natural beech coated
HC75-BC	cherry coated
HC75-WT	white coated



FMF75YBN-1BN-PT502



FMF60BSV-2FWB-T14